


COOL EX

Minibar

ABSORPTION TECHNOLOGY



- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies



S-Series minibars

Features

- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies
- Fully adjustable shelves

Option

Lock, Color, Ice-tray
110v / 220v, Reversible Door
110V, 220V



LED Lamp



Lock



Model	Capacity	Input Power	Refrigerator Temperature (°C)	Power Consumption (kW.h/24h)	Number of shelves	Number of balconies	Unit dimension W x D x H (mm)	Package dim. W x D x H (mm)	Net Weight	Quantity per 40H container
DW30	30	65	0-8	.75	1	2	400 x 420 x 500	470x470x540	13.5	600
DW40	40	65	0-8	0.80	2	2	400 x 450 x 560	470x500x600	15.5	480
DW50	50	90	0-8	0.88	3	3	400 x 450 x 670	470x500x720	17.5	440


A-Series minibars

Features

- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies
- Fully adjustable shelves

Option

Lock, Color, Ice-tray
110v / 220v, Reversible Door
110V, 220V



Reversible Door Hinge



Model	Capacity	Input Power	Refrigerator Temperature (°C)	Power Consumption (kW.h/24h)	Number of shelves	Number of balconies	Unit dimension W x D x H (mm)	Package dim. W x D x H (mm)	Net Weight	Quantity per 40H container
DW30A	30	65	0-8	.75	1	2	400 x 420 x 500	470x470x540	13.5	600
DW40A	40	65	0-8	0.80	2	2	400 x 450 x 560	470x500x600	15.5	480
DW50A	50	90	0-8	0.88	3	3	400 x 450 x 670	470x500x720	17.5	440

T-Series minibars

Features

- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies
- Flat transparent toughened
- Glass door

Option

Lock, Color
110v / 220v, Reversible Door
110V, 220V



Model	Capacity	Input Power	Refrigerator Temperature (°C)	Power Consumption (kW.h/24h)	Number of shelves	Number of balconies	Unit dimension W x D x H (mm)	Package dim. W x D x H (mm)	Net Weight	Quantity per 40H container
DW30T	30	65	6-12	.93	1	0	400 x 420 x 500	470x470x540	14.5	600
DW40T	40	65	6-12	1.00	2	0	400 x 440 x 560	470x500x600	16.5	480
DW50T	50	90	6-12	1.15	3	0	400 x 440 x 670	470x500x720	18.5	440

R/RT-Series minibars

Features

- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies

Option

Lock, Color, Ice-tray
110v / 220v, Reversible Door
Intelligent System
110V, 220V



Intelligent System



Model	Capacity	Input Power	Refrigerator Temperature (°C)	Power Consumption (kW.h/24h)	Number of shelves	Number of balconies	Unit dimension W x D x H (mm)	Package dim. W x D x H (mm)	Net Weight	Quantity per 40H container
DW30R	30	65	0-8	.75	1	2	405 x 445 x 530	470x480x570	14.5	500
DW40R	40	65	0-8	0.80	2	2	405 x 445 x 590	470x500x620	15.5	480
DW50R	50	90	0-8	0.88	3	3	405 x 445 x 690	470x500x740	17.5	360
DW30RT	30	65	6-12	.93	1	0	405 x 445 x 530	470x480x570	15.5	500
DW40RT	40	65	6-12	1.00	2	0	405 x 445 x 590	470x500x620	16.5	480
DW50RT	50	90	6-12	1.15	3	0	405 x 445 x 690	470x500x740	18.5	360

D-Series minibars

Features

- Super silent operation
- Auto defrost
- LED lamp inside
- Adjustable balconies

Option

Lock, Color, Ice-tray
 110v / 220v, Reversible Door
 110V, 220V



Model	Capacity	Input Power	Refrigerator Temperature (°C)	Power Consumption (kW.h/24h)	Number of shelves	Number of balconies	Unit dimension W x D x H (mm)	Package dim. W x D x H (mm)	Net Weight	Quantity per 40H container
DW36	36	65	0-8	0.80	1	2	460 x 480 x 480	530x550x530	115.5	420
DW58	58	90	0-8	0.90	3	2	460 x 480 x 580	515x525x630	26.0	450

Worldwide Customers

